

CURRICULUM VITAE

Yoichi Sunagawa, Ph.D

Research Associate
Division of Molecular Medicine
Graduate School of Pharmaceutical Sciences
University of Shizuoka
52-1 Yada, Shizuoka 422-8526, Japan
E-mail: y.sunagawa@u-shizuoka-ken.ac.jp

WORK EXPERIENCE

Postdoctoral fellowship, September 2013 to March 2014
Division of Translational Research, Clinical Research Institute, Kyoto Medical Center, National Hospital Organization, Kyoto, Japan

Postdoctoral fellowship, April 2012 to September 2013
Division of Molecular Medicine, Graduate School of Pharmaceutical Sciences, University of Shizuoka, Shizuoka, Japan

Research assistant fellowship, April 2006 to March 2009
Division of Translational Research, Clinical Research Institute, Kyoto Medical Center, National Hospital Organization, Kyoto, Japan

EDUCATION

Ph.D. in Human Health Sciences, March 2012
Human Health Sciences, Kyoto University Graduate School of Medicine, Kyoto, Japan

PUBLICATIONS

Article

1. Morimoto T, Sunagawa Y, Katanasaka Y, Hirano S, Namiki M, Watanabe Y, Suzuki H, Doi O, Suzuki K, Yamauchi M, Yokoji T, Miyoshi-Morimoto E, Otsuka Y, Hamada T, Imaizumi A, Nonaka Y, Fuwa T, Teramoto T, Kakeya H, Wada H, Hasegawa K.
Drinkable Preparation of Theracurmin Exhibits High Absorption Efficiency—A Single-Dose, Double-Blind, 4-Way Crossover Study.
Biol Pharm Bull. 2013; 36: 1708-1714.
2. Sakamoto T, Nishimura Y, Makino Y, Sunagawa Y, Harada N.
Biochemical characterization of a GH53 endo- β -1,4-galactanase and a GH35 exo- β -1,4-galactanase from *Penicillium chrysogenum*.

Appl Microbiol Biotechnol. 2013; 97: 2895-2906.

3. Sunagawa Y, Wada H, Suzuki H, Sasaki H, Imaizumi A, Fukuda H, Hashimoto T, Katanasaka Y, Shimatsu A, Kimura T, Takeya H, Fujita M, Hasegawa K, Morimoto T.
A Novel Drug Delivery System of Oral Curcumin Markedly Improves Efficacy of Treatment for Heart Failure after Myocardial Infarction in Rats.
Biol Pharm Bull. 2012; 35: 139-144.
4. Sunagawa Y, Morimoto T, Wada H, Takaya T, Katanasaka Y, Kawamura T, Yanagi S, Marui A, Sakata R, Shimatsu A, Kimura T, Takeya H, Fujita M, Hasegawa K.
A natural p300-specific histone acetyltransferase inhibitor, curcumin, in addition to angiotensin-converting enzyme inhibitor, exerts beneficial effects on left ventricular systolic function after myocardial infarction in rats.
Circ J. 2011; 75: 2151-2159.
5. Sasaki H, Sunagawa Y, Takahashi K, Imaizumi A, Fukuda H, Hashimoto T, Wada H, Katanasaka Y, Takeya H, Fujita M, Hasegawa K, Morimoto T.
Innovative preparation of curcumin for improved oral bioavailability.
Biol Pharm Bull. 2011; 34: 660-665.
6. Kaichi S, Takaya T, Morimoto T, Sunagawa Y, Kawamura T, Ono K, Shimatsu A, Baba S, Heike T, Nakahata T, Hasegawa K.
Cyclin-dependent kinase 9 forms a complex with GATA4 and is involved in the differentiation of mouse ES cells into cardiomyocytes.
J Cell Physiol. 2011; 226: 248-254.
7. Sunagawa Y, Morimoto T, Takaya T, Kaichi S, Wada H, Kawamura T, Fujita M, Shimatsu A, Kita T, Hasegawa K.
Cyclin-dependent kinase-9 is a component of the p300/GATA4 complex required for phenylephrine-induced hypertrophy in cardiomyocytes.
J Biol Chem. 2010; 285: 9556-9568.
8. Takaya T, Wada H, Morimoto T, Sunagawa Y, Kawamura T, Takanabe-Mori R, Shimatsu A, Fujita Y, Sato Y, Fujita M, Kimura T, Sawamura T, Hasegawa K.
Left ventricular expression of lectin-like oxidized low-density lipoprotein receptor-1 in failing rat hearts.
Circ J. 2010; 74: 723-729.
9. Morimoto T, Fujita M, Kawamura T, Sunagawa Y, Takaya T, Wada H, Shimatsu A, Kita T, Hasegawa K.
Myocardial regulation of p300 and p53 by doxorubicin involves ubiquitin pathways.
Circ J. 2008; 72: 1506-1511.
10. Morimoto T, Sunagawa Y, Kawamura T, Takaya T, Wada H, Nagasawa A, Komeda M, Fujita M, Shimatsu A, Kita T, Hasegawa K.
The dietary compound curcumin inhibits p300 histone acetyltransferase activity and prevents heart failure in rats.
J Clin Invest. 2008; 118: 868-878.

Review

1. Katanasaka Y, Sunagawa Y, Hasegawa K, Morimoto T.
Application of curcumin to heart failure therapy by targeting transcriptional pathway in cardiomyocytes.
Biol Pharm Bull. 2013; 36: 13-17.
2. Morimoto T, Sunagawa Y, Fujita M, Hasegawa K.
Novel heart failure therapy targeting transcriptional pathway in cardiomyocytes by a natural compound, curcumin.
Circ J. 2010; 74: 1059-1066.