

Curriculum Vitae

Yuko Shimamura, Ph.D.

Position: Assistant Professor
Laboratory: Laboratory of Food Hygiene
University: School of Food and Nutritional Sciences, University of Shizuoka, 52-1 Yada,
Suruga-ku, Shizuoka, 422-8526, Japan
Tel: +81-54-264-5526
Fax: +81-54-264-5528
E-mail: shimamura@u-shizuoka-ken.ac.jp
Website: <https://dfns.u-shizuoka-ken.ac.jp/labs/foodhygn/>
<https://dfns.u-shizuoka-ken.ac.jp/graduate/laboratory/112.html>

Education

Ph.D. 2007, Ochanomizu University, Tokyo, Japan
Human Environmental Science, Humanities and Science
M.S. 2004, Ochanomizu University, Tokyo, Japan
Department of Lifescience, Humanities and Science
B.A. 2002, Gakushuin Women's College, Tokyo, Japan
Faculty of International Cultural Communications

Experience

2011-Present Assistant Professor, School of Food and Nutritional
Sciences, University of Shizuoka, Shizuoka, Japan
2008-2011 Postdoctoral Fellow, Institute of Environmental Science for Human Life,
Ochanomizu University, Tokyo, Japan
2007-2008 Postdoctoral Fellow, Graduate School of Humanities and Sciences,
Ochanomizu University, Tokyo, Japan

Publication

◆ **Papers (2020- Present)**

- 1) Uehara Y, **Shimamura Y***, and Masuda S*.: Presence of *Staphylococcus aureus* amplifies zinc oxide nanoparticle toxicity in skin cells. *J. Dermatol. Sci. Cosmet. Technol.* 100146 (2026). * equal corresponding author
- 2) **Shimamura Y**, Ozaki M, Shinya M, Oishi R, Komuro M, Sasaki K, Hirofumi T, and Masuda S.: Factors influencing bacterial viability on face masks and bactericidal effect of disinfection methods. *Sci. Rep.* **15(1)**: 24357 (2025).

- 3) **Shimamura Y**, Horiike H, Yui T, and Masuda S.: Altered toxicity of *Staphylococcus aureus* and its membrane vesicles following ethanol and glycidol exposure. *The Microbe* **6**: 100273 (2025).
- 4) **Shimamura Y**, Yui T, Tano K, Nakanishi Y, Yamamoto Y, Matsui-Ito Y, Homma S, and Masuda S.: Isolation and characterization of lactic acid bacteria isolates that degrade Maillard reaction products from coffee. *Food Sci. Technol. Res.* **31(1)**: 47–58 (2025).
- 5) Uehara Y, **Shimamura Y**^{*}, Takemura C, Suzuki S, and Masuda S^{*}.: Effects of cosmetic ingredients on growth and virulence factor expression in *Staphylococcus aureus*: a comparison between culture medium and in vitro skin model medium. *AIMS Microbiol.* **11(1)**: 22–39 (2024). ^{*} equal corresponding author
- 6) Noda K, Kishimoto M, **Shimamura Y**, and Murata M.: Conditions and mechanism of formation of the Maillard reaction pigment, furfurylthiazine, in a model system and in some acid hydrolyzates of foods and its biological properties. *J. Agric. Food Chem.* **72(12)**: 6593–6600 (2024).
- 7) Oura Y[#], **Shimamura Y**[#], Kan T, and Masuda S.: Effect of polyphenols on inflammation induced by membrane vesicles from *Staphylococcus aureus*. *Cells* **13(5)**: 387 (2024).
[#]equal contribution
- 8) **Shimamura Y**, Miyazaki M, Sawaki S, Inagaki R, Honda H, and Masuda S.: Formation of glycidol fatty acid esters and 3-monochloro-1,2-propanediol fatty acid esters in heated foods. *J. Food Meas. Charact.* **18(3)**: 2268–2279 (2024).
- 9) **Shimamura Y**, Oura Y, Tsuchiya M, Yamanashi Y, Ogasawara A, Oishi M, Komuro M, Sasaki K, and Masuda S.: Slightly acidic electrolyzed water inhibits inflammation induced by membrane vesicles of *Staphylococcus aureus*. *Front. Microbiol.* **14**: 1328055 (2024).
- 10) **Shimamura Y**, Wada Y, Tashiro M, Honda H, and Masuda S.: A comparison of the exposure system of glycidol-related chemicals on the formation of glycidol-hemoglobin adducts. *Food Sci. Nutr.* **12(1)**: 471–480 (2023).
- 11) **Shimamura Y**, Noaki R, Oura Y, Ichikawa K, Kan T, and Masuda S.: Regulation of staphylococcal enterotoxin-induced inflammation in spleen cells from diabetic mice by polyphenols. *Microorganisms*, **11(4)**: 1039 (2023).
- 12) **Shimamura Y**, Inagaki R, Oike M, Wada Y, Honda H, and Masuda S.: Potential role of lipase activity on the internal exposure assessment of glycidol released from its fatty acid esters. *Toxics*, **11(2)**: 175 (2023).

- 13) **Shimamura Y**, Yui T, Horiike H, and Masuda S.: Toxicity of combined exposure to acrylamide and *Staphylococcus aureus*. *Toxicol. Rep.*, **9**: 876–882 (2022).
- 14) Mukaide K, **Shimamura Y**, Masuda S, Vongsak B, and Kumazawa S.: Antibacterial and antibiofilm activities of Thailand propolis against *Escherichia coli*. *Nat. Prod. Commun.*, **17(4)**: 1–5 (2022).
- 15) Noda K, Ando H, Tada K, Satake M, Nakauchi F, Tsutsuura S, **Shimamura Y**, Masuda S, and Murata M.: Acrylamide formation during pan-frying of mung bean sprouts. *Food Sci. Technol. Res.*, **28(4)**: 307–315 (2022).
- 16) Yamanashi Y, **Shimamura Y**[#], Sasahara H, Komuro M, Sasaki K, Morimitsu Y, and Masuda S.: Effects of growth stage on the characterization of enterotoxin A-producing *Staphylococcus aureus*-derived membrane vesicles. *Microorganisms*, **10(3)**: 574 (2022).
#equal contribution
- 17) Kitayama S, Igoshi A, **Shimamura Y**, Noda K, and Murata M.: Formation scheme and some properties of a thiamine-derived pigment, pyrizepine, formed through the Maillard reaction. *Biosci. Biotechnol. Biochem.*, **86(5)**: 672–680 (2022).
- 18) **Shimamura Y**, Okuda A, Ichikawa K, Inagaki R, Ito S, Honda H, and Masuda S.: Factors influencing the formation of chemical–hemoglobin adducts, *Toxics*, **10(1)**: 2 (2022).
- 19) **Shimamura Y**, Inagaki R, Oike M, Dong B, Gong W, and Masuda S.: Glycidol fatty acid ester and 3-monochloropropane-1,2-diol fatty acid ester in commercially prepared foods. *Foods*, **10(12)**: 2905 (2021).
- 20) **Shimamura Y**, Noaki R, Kurokawa A, Utsumi M, Hirai C, Kan T, and Masuda S.: Effect of (–)-epigallocatechin gallate on activation of JAK/STAT signaling pathway by staphylococcal enterotoxin A. *Toxins*, **13(9)**: 609 (2021).
- 21) Kobayashi T, Toyoda T, Tajima Y, Kishimoto S, Tsunematsu Y, Sato M, Matsushita K, Yamada T, **Shimamura Y**, Masuda S, Ochiai M, Ogawa K, Watanabe K, Takamura-Enya T, Totsuka Y, Wakabayashi K, and Miyoshi N.: *o*-Anisidine dimer, 2-methoxy-*N*⁴-(2-methoxyphenyl) benzene-1,4-diamine, in rat urine associated with urinary bladder carcinogenesis. *Chem. Res. Toxicol.*, **34(3)**: 912-919 (2021).
- 22) **Shimamura Y**, Sei S, Nomura S, and Masuda S.: Protective effects of dried mature *Citrus unshiu* peel (Chenpi) and hesperidin on aspirin-induced oxidative damage. *J. Clin. Biochem. Nutr.*, **68(2)**: 149-155 (2021).

- 23) **Shimamura Y**, Inagaki R, Honda H, and Masuda S.: Does external exposure of glycidol-related chemicals influence the forming of the hemoglobin adduct, *N*-(2,3-dihydroxypropyl)valine, as a biomarker of internal exposure to Glycidol? *Toxics*, **8**: 119 (2020).
- 24) **Shimamura Y**, Shibata M, Sato M, Nagai R, Yang P, Shiokawa K, Kikuchi H, and Masuda S.: Anti-hyperglycemic activity and inhibition of advanced glycation end products by *Lonicera japonica* Thunb. in streptozotocin-induced diabetic rats. *Food Sci. Technol. Res.*, **26(6)**: 825-835 (2020).
- 25) Noda K, Amano Y, **Shimamura Y**, and Murata M.: Distribution of pyrrolothiazolate, a pigment formed through the Maillard reaction between cysteine and glucose, in foods and beverages and some of its properties. *Food Sci. Technol. Res.*, **26(6)**: 735-742 (2020).
- 26) **Shimamura Y**, Shinke M, Hiraishi M, Tsuchiya Y, Egawa M, Ohashi N, and Masuda S.: Influence of muscle fiber direction on migration of *Salmonella* Enteritidis, *Staphylococcus aureus*, and *Escherichia coli* into raw chicken breast. *J. Food Prot.*, **83(6)**: 928-934 (2020).
- 27) **Shimamura Y**, Utsumi M, Hirai C, Kurokawa A, Kan T, Ohashi N, and Masuda S.: Effect of (–)-epigallocatechin gallate to staphylococcal enterotoxin A on toxin activity. *Molecules*, **25(8)**: 1867 (2020).
- 28) Matsuzaki K, Iwai K, Yoshikawa Y, **Shimamura Y**, Miyoshi N, Hiramoto S, Asada, K, Fukutomi R, Su, H, and Ohashi N.: Wheat bran intake enhances the secretion of bacteria-binding IgA in a lumen of the intestinal tract by incrementing short chain fatty acid production through modulation of gut microbiota. *Nat. Prod. Commun.*, **15(4)**: 1-11 (2020).

◆ **Chief Literary Works (2013- Present)**

- 1) Masuda S, **Shimamura Y**: Chapter 26. Radioprotective Effects of Green Tea, Health Benefits of Green Tea. An Evidence-based Approach, CABI, 220-229 (2017).
- 2) Masuda S, **Shimamura Y**: 10. Radioprotective effects of green tea, Scientific evidence for the health benefits of green tea, Japan Tea Central Public Interest Incorporated Association, 162-172 (2015).
- 3) Oguni I and **Shimamura Y**: 1.3. Anti-bacterial and anti-viral actions, ~Health benefits of green tea ~ Navigation to functional and mechanistic aspects 2013, World green tea association, 6-8 (2013).
- 4) Masuda S, **Shimamura Y**, Shimoi K, and Kinase N: Radioactive Contamination and Radioprotective Activity of Green Tea, *Foods & Food Ingredients Journal of Japan*. 218(3): 224-233 (2013).

Research objectives

The objective of research is to find the novel methods for controlling pathogenic factors and foodborne pathogenic bacteria by molecular-based analysis.

◆ Present Research

- 1) Development of novel control methods to reduce food-poisoning
- 2) Molecular characterization of pathogenic factors of *Staphylococcus aureus* and gene transfer of staphylococcal toxin
- 3) Molecular characterization of *Staphylococcus aureus*-derived membrane vesicles



Update: 02/24/2026